



DEMETER

Spare Parts List

DEMETER




Fig.	Serial no.	Part no.	Pieces	Notes
1		108 020 551	36	For grass seed
2		108 000 569	2	For grass seed
3		108 000 571	1	For grass seed
4		108 000 028	36	For peas
5		108 000 569	2	For peas
6		108 000 194	1	For grain and peas
7		108 000 569	2	For grain
8		108 000 439	36	For grain
10		108 000 197	1	For rape seed
11		108 000 569	2	For rape seed
12		108 000 389	36	For rape seed
13		108 020 936	36	For rape seed
15		100 333 091	1	Lynch pin $\varnothing 4.5 \times 32$ mm
16		108 020 262	1	
17		108 000 514	1	Toothed wheel, z = 30
18		100 321 013	8	Crosshead screw M6 x 10 mm
19		108 000 095	2	
20		100 401 059	2	Ball bearing # 6003 2RS1
21		108 000 096	2	
22		100 333 090	1	Slotted spring pin $\varnothing 5 \times 30$ mm
23		108 000 471	1	
24		108 000 190	1	
Cpl		108 000 200	1	Complete feed shaft for grain. Incl items 6 - 8 + 15 - 24
Cpl		108 000 206	1	Complete feed shaft for peas. Incl items 4 - 6 + 18 - 24
Cpl		108 020 541	1	Complete feed shaft for rape seed, left. Incl items 10 - 13 + 18 - 24
Cpl		108 020 542	1	Complete feed shaft for rape seed, right. Incl items 10 - 13 + 18 - 24
Cpl		108 000 570	1	Complete feed shaft for grass seed. Incl items 1 - 3 + 18 - 24
25		108 000 451	1	
26		100 316 002	18	Lock nut M6
27		108 000 029	18	
28		100 407 011	1	Circlip $\varnothing 20 \times 1.2$ mm
29		100 316 067	18	Square nut M8
30		108 000 030	18	
31		100 322 022	18	Stop screw M8 x 20 mm
32		100 306 009	18	Bolt M6 x 60 mm
33		108 000 044	18	
36		100 333 092	1	Split pin $\varnothing 4 \times 20$ mm
37		100 331 006	1	Flat washer M10
38		108 000 518	1	
39		100 308 023	1	Set screw M4 x 20 mm
40		100 316 068	1	Lock nut M4
41		108 000 519	1	
42		100 322 026	1	Stop screw M6 x 16 mm
43		108 000 515	1	Toothed wheel, z = 45
46		100 323 309	1	
47		108 020 346	1	
48		100 322 022	1	Stop screw M8 x 20 mm
49		100 315 012	1	Nut M8
50		100 402 026	2	
51		108 020 365	1	
52		100 323 310	2	
53		100 334 014	4	Tubular rivet TLP/D - BS 530
54		100 323 041	2	Set screw M6 x 16 mm
55		100 332 002	2	Star washer M6
56		108 000 034	1	Right
57		108 000 493	1	
58		108 000 032	17	
59		100 321 009	19	Screw M4 x 35 mm
60		100 316 068	19	Lock nut M4
61		108 000 033	1	Left

DEMETER





Fig.	Serial no.	Part no.	Pieces	Notes
1		108 020 325	1	Lock nut M5
2		100 316 063	4	
3		100 323 340	2	
4		100 321 010	4	
5		100 308 001	4	
				Crosshead screw M5 x 12 mm
				Set screw M6 x 10 mm
6		100 316 002	4	Lock nut M6
7		108 020 329	1	
8		100 202 051	-	
9		100 311 001	3	
10		122 000 611	3	
				Order 1900 mm
				Coach bolt M6 x 20 mm
11		100 331 004	3	Flat washer M6
12		100 316 002	3	
13		108 020 621	1	
14		108 020 622	1	
15		100 334 013	3	
				Tubular rivet TLP/D - BS 424
16		108 020 297	1	Set screw M6 x 10 mm
21		100 308 001	4	
22		108 020 332	1	
24		100 202 051	-	
27		100 323 041	2	
				Order 550 mm
				Set screw M6 x 16 mm
28		100 323 041	4	Flanged nut M6
29		108 020 335	2	
30		100 308 001	2	
31		100 316 075	2	
32		100 308 001	4	
				Set screw M6 x 10 mm
33		100 323 041	2	Set screw M6 x 16 mm
34		100 323 041	2	
35		100 332 002	4	
36		100 316 075	2	
37		100 323 339	2	
				Star washer M6
				Flanged nut M6
38		108 020 314	1	Crosshead screw M5 x 12 mm
40		100 321 010	6	
41		100 316 063	6	
42		100 316 063	8	
48		100 308 001	2	
				Lock nut M5
				Set screw M6 x 10 mm
49		100 321 010	2	Crosshead screw M5 x 12 mm
50		100 316 063	2	
51		108 020 733	1	
52		100 316 075	2	
54		100 316 075	2	
				Flanged nut M6
				Flanged nut M6
56		100 316 075	4	Flanged nut M6
58		100 323 041	4	
59		100 311 029	4	
60		108 020 537	1	
61		108 021 332	1	
				Set screw M6 x 16 mm
				Coach bolt M10 x 20 mm
62		100 316 005	4	Lock nut M12
64		100 331 006	8	
65		100 316 004	8	
68		108 021 333	1	
69		700 200 199	2	
				Flat washer M10
				Lock nut M10
70		108 020 293	1	

DEMETER



7

DEMETER




Fig.	Serial no.	Part no.	Pieces	Notes
1		100 316 003	4	Lock nut M8
2		100 505 005	1	
3		100 331 014	4	Flat washer M8
4		100 308 002	4	Set screw M8 x 25 mm
5		108 020 508	1	1/4 toothed wheel
6		100 322 018	2	Stop screw M5 x 8 mm
7		100 322 027	1	Stop screw M4 x 5 mm
8		108 020 053	1	Toothed wheel, z = 14
9		100 402 030	1	Ø17.2/22 mm
10		108 020 178	1	
11		100 323 041	2	Set screw M6 x 16 mm
12		100 332 002	2	Star washer M6
13		108 020 200	1	
14		100 405 021	1	Key 5 x 5 x 20 mm
15		100 308 018	3	Set screw M6 x 12 mm
16		108 020 110	3	
17		100 401 059	2	Ball bearing # 6003 - 2RS1
18		100 316 075	6	Flanged nut M6
19		108 020 103	1	
20		100 407 027	2	Circlip Ø17 x 1.0 mm
21		100 405 032	1	Key 5 x 5 x 12 mm
22		108 020 068	1	
23		100 322 024	1	Stop screw M5 x 6 mm
24		108 020 054	1	Toothed wheel, z = 17
25		108 020 371	1	
26		108 020 058	1	Toothed wheel, z = 32
28		100 322 018	1	Stop screw M5 x 8 mm
29		108 021 385	1	Chain wheel, z = 22
30		108 020 069	1	
32		108 020 071	1	
33		100 306 001	3	Set screw M6 x 20 mm
37		100 306 001	6	Set screw M6 x 20 mm
38		108 020 072	2	
39		100 401 059	2	Ball bearing # 6003 - 2RS1
40		108 020 110	2	
41		100 316 075	6	Flanged nut M6
42		108 020 069	2	
43		100 407 027	1	Circlip Ø17 x 1.0 mm
44		100 411 074	1	Chain, 3/8" 06B1, 62 links
45		100 322 024	1	Stop screw M5 x 6 mm
46		108 021 386	1	Chain wheel, z = 26
47		100 405 032	1	Key 5 x 5 x 12 mm
48		108 020 073	1	
50		108 020 124	1	
55		108 020 523	1	
Cpl		100 311 000	2	Coach bolt with nut M6 x 16 mm. Items 54 + 56
57		100 308 018	2	Set screw M6 x 12 mm
58		100 332 002	2	Star washer M6
59		108 020 524	1	
60		100 411 068	1	Chain, 3/8" 06B1, 57 links
61		100 322 021	1	Stop screw M8 x 10 mm
62		108 020 057	1	Chain wheel, z = 17
63		100 322 024	1	Stop screw M5 x 6 mm
64		108 020 056	1	Chain wheel, z = 42
68		100 308 018	6	Set screw M6 x 12 mm
69		100 332 002	6	Star washer M6
70		108 020 169	2	
71		100 401 059	2	Ball bearing # 6003 - 2RS1
72		100 407 027	2	Circlip Ø17 x 1.0 mm
73		100 405 034	1	Key 5 x 5 x 14 mm
74		108 020 285	1	
75		100 405 033	1	Key 5 x 5 x 32 mm
76		100 322 024	1	Stop screw M5 x 6 mm
77		108 020 051	1	Toothed wheel, z = 17
78		108 020 749	1	
79		100 308 018	1	Set screw M6 x 12 mm
80		100 511 106	8	PG 16
81		100 511 105	6	PG 7

DEMETER





Fig.	Serial no.	Part no.	Pieces	Notes
1		108 020 190	1	
2		100 323 340	2	
3		100 321 010	10	Crosshead screw M5 x 12 mm
4		100 316 063	14	Lock nut M5
5		100 315 005	4	Nut M5
6		100 331 003	4	Flat washer M5
7		100 323 339	2	
8		100 321 045	3	Machine screw M5 x 12 mm
9		100 323 341	1	
10		108 020 469	1	
11		100 308 018	11	Set screw M6 x 12 mm
12		100 332 002	6	Star washer M6
13		100 331 004	11	Flat washer M6
14		108 020 507	1	
18		100 316 075	3	Flanged nut M6
19		100 323 041	4	Set screw M6 x 16 mm
20		108 020 712	1	
21		100 332 002	3	Star washer M6
22		100 331 004	1	Flat washer M6
23		100 202 050	-	Order 0.86 M
26		100 308 018	2	Set screw M6 x 12 mm
28		108 020 525	1	
30		108 020 282	1	
31		100 202 024	-	Order 0.5 M
36		100 308 036	5	Set screw M10 x 16 mm
37		100 414 015	4	Plastic plug
39		100 331 006	6	Flat washer M10
40		108 021 342		
42		100 308 004	6	Set screw M10 x 20 mm
43		108 021 338	1	
44		702 000 199	2	
45		100 407 011	2	Circlip $\varnothing 20 \times 1.2$ mm
46		108 020 050	1	Toothed wheel, z = 32
47		100 322 010	2	Stop screw M6 x 8 mm
48		108 020 389	1	
49		100 401 083	2	Ball bearing # 6004 - 2RS
50		108 020 284	1	
51		100 405 027	1	Key 6 x 6 x 35 mm
52		100 405 026	1	Key 6 x 6 x 25 mm
55		100 306 014	8	Set screw M8 x 15 mm
56		100 332 003	8	Star washer M8
57		100 308 018	18	Set screw M6 x 12 mm
58		108 020 061	2	
59		108 020 109	2	
60		108 020 239	1	
65		100 333 074	1	Lynch pin $\varnothing 4.5 \times 32$ mm
66		108 020 526	1	
67		100 411 072	1	Chain, 3/8" 06B1, 192 links
69		108 020 242	1	Chain wheel, z = 17
70		108 020 249	1	
71		100 316 075	18	Flanged nut M6
72		100 331 006	4	Flat washer M10
73		100 308 004	2	Set screw M10 x 20 mm
75		108 020 260	1	
76		100 306 157	1	Bolt M10 x 70 mm
78		100 316 004	2	Lock nut M10
79		100 333 003	2	Split pin $\varnothing 4 \times 25$ mm
80		101 200 659	1	
81		100 316 003	2	Lock nut M8
82		100 331 014	2	Washer
83		100 308 002	2	Set screw M8 x 25 mm
85		108 020 255	1	
86		100 306 033	1	Bolt M10 x 45 mm
88		108 020 253	1	
90		100 331 006	1	Flat washer M10
91		121 134 244	1	
92		100 350 064	1	Slotted spring pin $\varnothing 3 \times 20$ mm
93		108 020 254	1	
96		7 002 153 359	1	
97		100 306 021	1	Bolt M8 x 50 mm
98		100 316 003	1	Lock nut M8
99		108 021 405	1	
100		100 333 051	1	Slotted spring pin $\varnothing 6 \times 40$ mm
101		100 401 032	2	Ball bearing # 6205 - 2RS
102		108 020 246	1	Chain wheel, z = 32
103		100 350 063	1	Circlip $\varnothing 25 \times 1.2$ mm

DEMETER



13

DEMETER




Fig.	Serial no.	Part no.	Pieces	Notes
1		122 000 857	6	Clamp with screw OK160
2		100 316 004	1	Lock nut M10
3		108 020 684	1	
4		100 304 023	1	Set screw M10 x 30 mm
5		108 020 603	1	
6		108 020 722	1	
7		100 413 163	1	V-ring # TWVA00180
8		100 413 162	1	V-ring # TWVA00160
9		100 331 006	1	Flat washer M10
10		100 316 004	1	Lock nut M10
13		108 020 636	1	
14		108 020 587	1	
15		108 020 583	1	
16		100 334 039	15	Rivet nut M6
17		108 020 644	1	
19		100 306 001	4	Set screw M6 x 20 mm
20		100 331 060	16	Star washer M6
21		100 331 084	16	Nylon washer M8
22		100 323 041	12	Set screw M6 x 16 mm
25		121 081 082	1	
26		108 000 241	1	
27		121 081 080	4	
28		100 321 018	4	Crosshead screw M6 x 30 mm
29		108 020 593	1	
30		100 331 004	4	Flat washer M6
31		100 316 002	4	Lock nut M6
32		100 304 012	1	Set screw M8 x 20 mm
33		121 000 021	1	Washer $\varnothing 42/\varnothing 9$ x 3 mm
34		108 020 134	1	
37		100 316 002	12	Lock nut M6
38		100 316 003	4	Lock nut M8
39		108 020 358	1	
40		100 323 192	4	Disc washer $\varnothing 23/\varnothing 10.2$ x 1.0 mm
41		100 308 036	4	Set screw M10 x 16 mm
42		100 420 129	1	Hydraulic motor PLM20.8 R+TR222+MO82
43		100 306 111	4	Bolt M8 x 80 mm
45		100 202 024	-	Order 0.5 m
46		100 203 095	-	Order 1.5 m
47		108 020 308	1	
51		108 020 420	1	
52		100 323 293	1	
53		100 334 046	4	Tubular rivet
54		100 203 107	-	Order 0.5 m
55		108 020 425	1	
56		100 323 295	1	
57		100 316 063	8	Lock nut M5
58		100 323 339	2	
59		100 323 041	11	Set screw M6 x 16 mm
60		100 331 004	11	Flat washer M6
65		100 333 051	2	Slotted spring pin $\varnothing 6$ x 40 mm
66		108 020 696	2	
67		100 316 004	6	Lock nut M10
68		108 020 697	2	
69		100 331 063	2	Washer M30
70		108 020 695	2	
76		100 308 037	2	Set screw M10 x 40 mm
77		100 511 133	2	Actuator 0602 12.2-60-12-001/IP66
79		100 308 004	4	Set screw M10 x 20 mm
80		108 020 466	2	
81		108 020 639	2	
82		108 020 638	2	
83		100 350 065	2	Circlip $\varnothing 10$ x 1.0 mm
84		100 203 105	-	Order 0.5 m
85		108 020 641	2	
86		100 306 159	4	Bolt M8 x 150 mm
87		108 020 032	1	
88		100 414 055	1	Plastic plug
89		100 413 160	1	O-ring $\varnothing 82$ x 5 mm
90		108 020 031	1	
91		100 316 003	4	Lock nut M8
Cpl		108 020 605	2	Complete inkl. items 84 - 91
93		100 306 001	4	Set screw M6 x 20 mm
94		108 020 640	2	
95		100 316 002	4	Lock nut M6
96		100 305 078	8	Bolt M8 x 170 mm
97		108 020 465	2	
98		108 020 474	2	
99		100 308 029	4	Set screw M8 x 12 mm
100		100 321 012	2	Set screw M5 x 20 mm
101		108 021 407	1	
102		100 323 347	1	Screw M3 x 6 mm

DEMETER




Fig.	Serial no.	Part no.	Pieces	Notes
1		108 020 304	1	
2		100 316 004	3	Lock nut M10
3		100 331 006	6	Flat washer M10
4		100 331 004	12	Flat washer M6
5		100 308 018	12	Set screw M6 x 12 mm
6		108 020 591	3	
8		100 306 148	3	Bolt M10 x 140 mm
9		108 020 653	3	
10		100 334 039	12	Rivet nut M6
12		108 020 804	1	Sealing
13		100 306 023	2	Bolt M8 x 60 mm
14		108 020 666	1	
15		100 316 003	2	Lock nut M8
16		100 306 014	2	Set screw M8 x 15 mm
17		100 331 005	2	Flat washer M8
19		100 316 068	8	Lock nut M4
20		100 309 018	4	Screw M8 x 30 mm
21		100 426 010	2	A1A1-80-190-485/600 N
22		108 020 652	2	
24		110 101 105	1	
25		122 000 825	1	Quick release clamp OK160
26		108 020 734	2	
27		121 000 089	2	
28		100 321 007	8	Crosshead screw M4 x 12 mm
30		108 020 595	1	
31		122 000 062	1	
32		108 020 596	5	
33		100 306 004	5	Bolt M6 x 35 mm
34		100 306 001	1	Set screw M6 x 20 mm
35		100 331 004	1	Flat washer M6
36		108 020 599	1	
37		100 316 002	5	Lock nut M6
38		100 316 002	1	Lock nut M6
40		108 020 722	1	
41		100 413 163	1	V-ring # TWVA00180
42		100 413 162	1	V-ring # TWVA00160
43		108 020 719	1	
44		100 331 006	1	Flat washer M10
45		100 316 004	1	Lock nut M10
50		108 020 338	1	
51		100 306 055	1	Set screw M16 x 40 mm
52		108 021 411	1	
53		100 306 015	6	Set screw M8 x 20 mm
54		100 316 003	6	Lock nut M8
56		108 020 888	1	
57		100 323 041	14	Set screw M6 x 16 mm
58		100 331 004	14	Flat washer M6
59		100 321 005	4	Crosshead screw M4 x 15 mm
60		108 020 406	1	
61		100 316 068	4	Lock nut M4
62		108 020 643	1	
65		100 316 002	6	Lock nut M6
66		100 316 005	8	Lock nut M12
67		100 306 071	8	Set screw M12 x 35 mm
68		100 308 007	12	Set screw M16 x 30 mm
69		100 331 008	12	Flat washer M16
70		100 316 006	12	Lock nut M16
71		108 020 407	1	
72		100 203 095	-	Order 2.5 m
75		100 316 002	30	Lock nut M6
76		108 020 672	2	
77		100 331 004	30	Flat washer M6
78		100 323 041	30	Set screw M6 x 16 mm
79		108 020 404	1	
80		100 306 055	2	Set screw M16 x 40 mm
85		108 020 345	1	
86		108 020 405	1	
87		108 020 354	1	
88		100 333 014	3	Lynch pin ø9.5 mm
89		105 000 388	1	
90		108 020 611	2	

DEMETER






Fig.	Serial no.	Part no.	Pieces	Notes
1		100 511 119	2	PG11 IPON
2		100 511 120	2	Plast nut PG11 IPON
3		100 334 047	4	Rivet nut M4
5		100 511 116	8	Female connector
6		100 511 115	2	Housing, 4 positions
7		100 511 114	2	Housing, 4 positions
8		100 511 117	8	Male connector
9		100 511 113	-	4 x 1.5 mm ² . Order 12 m
11		100 511 137	2	F3405150
15		100 511 136	2	9BG127426001
16		100 511 138	2	Bulb 12V 60/55W H4 P43T 123420
17		100 511 139	2	Bulb 12V 4U BA9S 129290
18		100 511 135	2	Light IH-FENDT 1 14129011
20		100 511 132	1	Drill controller
21		100 511 142	1	
22		100 511 153	1	
25		100 511 107	1	Sensor EI 1204 NPOS
27		100 511 134	2	70.355.1028.0
28		100 511 110	1	70.310.1040.0
29		100 511 127	1	70.300.1040.0
30		100 511 126	1	70.325.1028.0
31		100 511 152	1	
32		100 511 118	5	Plast nut PG7 IPON
33		100 511 105	5	PG7 IPON
34		100 511 141	1	
37		100 511 111	-	10 x 1 mm ² . Order 12 m
40		100 511 127	1	70.300.1040.0
41		100 511 110	1	70.310.1040.0
Cpl.		100 511 148	-	Fig. 27 + 37 + 40 + 41
Cpl.		100 511 149	-	Fig. 27 + 37 + 41
42		100 308 024	4	Set screw M5 x 20 mm
43		100 316 063	4	Lock nut M5
44		100 511 109	1	70.342.1028.0
45		100 511 111	-	10 x 1 mm ² . Order 3 m
50		100 511 123	1	Capacitive sensor EC 1808 PPOS
51		100 323 288	4	Screw M3 x 12 mm
52		100 511 150	1	Print
53		108 020 803	1	
54		100 316 079	4	Lock nut M3
61		100 511 066	2	Male connector, 275-087
62		100 511 068	2	Housing, 1 positions
Cpl.		108 000 036	1	Incl. items 60 - 62
65		100 511 107	2	Sensor EI 1204 NPOS
66		100 323 288	4	Screw M3 x 12 mm
68		100 316 068	2	Lock nut M4
70		100 308 023	2	Set screw M4 x 20 mm
74		100 323 041	2	Set screw M6 x 16mm
75		100 315 028	2	Nut M6
79		100 511 147	1	Complete
86		100 511 066	2	Male connector, 275-087
87		100 511 070	1	Housing, 2 positions
Cpl.		108 000 035	1	Incl. items 85 - 87
90		100 323 288	4	Screw M3 x 12 mm
91		100 331 067	2	Washer
92		100 511 103	2	REED-sensor
93		100 511 104	2	Magnet for sensor
94		100 323 288	2	Screw M3 x 12 mm
95		100 331 016	1	Washer
96		100 511 080	1	Photoelectric cell (light receiver), LR-SG 5M
97		100 511 081	1	Photoelectric cell (light transmitter) LT-SG 5M
98		100 503 091	1	Capacitive sensor CAP22-40NA NPN

DEMETER




21

DEMETER




23

DEMETER




25

DEMETER




27

DEMETER




29

DEMETER




31

DEMETER




33

DEMETER




35

DEMETER




37

DEMETER




39

DEMETER




41

DEMETER




43

DEMETER



45

DEMETER



47

