


# **300FS Harrows**

*Flex Drag & Spiral Roller Combi*

Kongsilde  
300 FS




## **SPARE PARTS LIST**


**For:**

**2600/3500 Combi Harrows**


**2800/3800 Combi Harrows**




| Fig. | Part no.    | Description                                                               |
|------|-------------|---------------------------------------------------------------------------|
| 1    | 602-060-100 | Drag Spike                                                                |
| 2    | 600-361-036 | Carriage Bolt 1/2" - 13 x 1-1/2"                                          |
| 2A   | 600-381-050 | Flatwasher 1/2"                                                           |
| 3    | 600-366-005 | Locknut 1/2"                                                              |
| 4    | 602-060-101 | Harrow Bar Weldment 700 mm - 4 Spike                                      |
|      | 602-060-102 | Harrow Bar Weldment 1100 mm - 6 Spike                                     |
|      | 602-060-103 | Harrow Bar Weldment 1300 mm - 7 Spike                                     |
|      | 602-060-104 | Harrow Bar Weldment 1500 mm - 8 Spike                                     |
|      | 602-060-105 | Harrow Bar Weldment 1900 mm - 10 Spike                                    |
| 5    | 602-060-134 | Harrow Bar Assembly 700 mm (Includes Items 1, 2, 3, 4) - 4 Spikes         |
|      | 602-060-135 | Harrow Bar Assembly 1100 mm (Includes Items 1, 2, 3, 4) - 6 Spikes        |
|      | 602-060-136 | Harrow Bar Assembly 1300 mm (Includes Items 1, 2, 3, 4) - 7 Spikes        |
|      | 602-060-137 | Harrow Bar Assembly 1500 mm (Includes Items 1, 2, 3, 4) - 8 Spikes        |
|      | 602-060-138 | Harrow Bar Assembly 1900 mm (Includes Items 1, 2, 3, 4) - 10 Spikes       |
| 6A   | 603-150-150 | Hanger Arm Weldment - Short for 2600/3500 and OEM                         |
| 6B   | 603-150-151 | Hanger Arm Weldment - Long for 2600/3500 and OEM                          |
| 7    | 600-373-046 | U-Bolt 5/8" x 3" x 3-1/4"                                                 |
| 8    | 600-381-020 | Flatwasher 5/8"                                                           |
| 9    | 600-366-006 | Locknut 5/8"                                                              |
| 10   | 603-150-169 | Draw Bracket                                                              |
| 10A  | 603-150-391 | Draw Bracket (OEM Mounting Only)                                          |
| 11   | 600-331-014 | Lynch Pin 5/16" x 1-1/2"                                                  |
| 12   | 602-060-197 | Draw Chain                                                                |
| 12A  | 602 060 229 | Draw Chain (Longer for OEM)                                               |
| 13   | 602-060-140 | Hanger Chain                                                              |
| 14   | 101-000-790 | Wire Tine Clamp w/Nut (replaces 01-000-507)                               |
| 14A  | 600-373-056 | U-Bolt 5/8" x 3" x 5-1/2" (OEM Mounting Only)                             |
| 15   | 600-381-006 | Flatwasher 3/8"                                                           |
| 16   | 600-366-004 | Locknut 3/8"                                                              |
| 17   | 602-060-114 | Straight Joiner Link*                                                     |
| 18A  | 602-060-118 | Offset Joiner Link - 67 Right (3 Bar)* Flip over for steep angle setting. |
| 18B  | 602-060-117 | Offset Joiner Link - 134 Left (3 Bar)* Flip over for steep angle setting. |
| 19   | 602-060-112 | Bushing                                                                   |
| 20   | 600-356-139 | Bolt 1/2" x 1-3/4"                                                        |
| 21   | 600-356-115 | Bolt 3/8" x 1-1/2"                                                        |
| 22   | 600-356-145 | Bolt 3/4" x 2"                                                            |
| 23   | 600-381-009 | Washer 3/4"                                                               |
| 24   | 600-366-007 | Locknut 3/4"                                                              |
| 25   | 600-356-016 | Bolt 3/8" x 1-1/4"                                                        |
| 26   | 602-060-193 | Harrow Bar Extension - LH                                                 |
| 26A  | 602-060-480 | Harrow Bar Extension Kit - LH (Includes items 1, 2, 3, 16, 25 & 26)       |
| 27   | 602-060-194 | Harrow Bar Extension - RH                                                 |
| 27A  | 602-060-481 | Harrow Bar Extension Kit - RH (Includes items 1, 2, 3, 16, 25 & 27)       |
| 28   | 600-356-030 | Bolt 1/2" x 4-1/2" Gr. 5                                                  |
| 29   | 603-150-180 | Wear Bushing                                                              |
| 30   | 603-150-017 | Spring                                                                    |
| 31   | 603-150-018 | Spring Insert - Grey Cast with 5/8 threaded hole                          |
| 32   | 600-373-072 | Bolt 5/8" x 5" Full thread - Gr.5                                         |
| 33   | 600-381-020 | Flat Washer 5/8"                                                          |
| 34   | 600-365-014 | Nut 5/8"                                                                  |
| 35   | 603-150-187 | Short Hanger Arm - for Front Roller                                       |
| 36   | 603-150-191 | Mount Plate - Roller Frame                                                |
| 37   | 600-356-137 | Bolt 1/2" x 3-1/2" Gr. 5                                                  |
| 38   |             | See separate page for Roller Frame Assembly.                              |
| 39   |             | See separate page for Spiral Bar Rollers.                                 |



| Fig. | Part no.    | Description                                                               |
|------|-------------|---------------------------------------------------------------------------|
| 1    | 602-060-100 | Drag Spike                                                                |
| 2    | 600-361-036 | Carriage Bolt 1/2" - 13 x 1-1/2"                                          |
| 2A   | 600-381-050 | Flatwasher 1/2"                                                           |
| 3    | 600-366-005 | Locknut 1/2"                                                              |
| 4    | 602-060-101 | Harrow Bar Weldment 700 mm - 4 Spike                                      |
|      | 602-060-102 | Harrow Bar Weldment 1100 mm - 6 Spike                                     |
|      | 602-060-103 | Harrow Bar Weldment 1300 mm - 7 Spike                                     |
|      | 602-060-104 | Harrow Bar Weldment 1500 mm - 8 Spike                                     |
|      | 602-060-105 | Harrow Bar Weldment 1900 mm - 10 Spike                                    |
| 5    | 602-060-134 | Harrow Bar Assembly 700 mm (Includes Items 1, 2, 3, 4) - 4 Spikes         |
|      | 602-060-135 | Harrow Bar Assembly 1100 mm (Includes Items 1, 2, 3, 4) - 6 Spikes        |
|      | 602-060-136 | Harrow Bar Assembly 1300 mm (Includes Items 1, 2, 3, 4) - 7 Spikes        |
|      | 602-060-137 | Harrow Bar Assembly 1500 mm (Includes Items 1, 2, 3, 4) - 8 Spikes        |
|      | 602-060-138 | Harrow Bar Assembly 1900 mm (Includes Items 1, 2, 3, 4) - 10 Spikes       |
| 6A   | 603-150-026 | Hanger Arm Weldment - Short for 2800/3800                                 |
| 6B   | 603-150-027 | Hanger Arm Weldment - Long for 2800/3800                                  |
| 7    | 600-373-066 | U-Bolt 5/8" x 2-1/2" x 4-1/4"                                             |
| 8    | 600-381-020 | Flatwasher 5/8"                                                           |
| 9    | 600-366-006 | Locknut 5/8"                                                              |
| 11   | 600-331-014 | Lynch Pin 5/16" x 1-1/2"                                                  |
| 12   | 602-060-197 | Draw Chain                                                                |
| 12A  | 602 060 229 | Draw Chain (Longer for OEM)                                               |
| 13   | 602-060-140 | Hanger Chain                                                              |
| 15   | 600-381-006 | Flatwasher 3/8"                                                           |
| 16   | 600-366-004 | Locknut 3/8"                                                              |
| 17   | 602-060-114 | Straight Joiner Link*                                                     |
| 18A  | 602-060-118 | Offset Joiner Link - 67 Right (3 Bar)* Flip over for steep angle setting. |
| 18B  | 602-060-117 | Offset Joiner Link - 134 Left (3 Bar)* Flip over for steep angle setting. |
| 19   | 602-060-112 | Bushing                                                                   |
| 20   | 600-356-139 | Bolt 1/2" x 1-3/4"                                                        |
| 21   | 600-356-115 | Bolt 3/8" x 1-1/2"                                                        |
| 22   | 600-356-145 | Bolt 3/4" x 2"                                                            |
| 23   | 600-381-009 | Washer 3/4"                                                               |
| 24   | 600-366-007 | Locknut 3/4"                                                              |
| 25   | 600-356-016 | Bolt 3/8" x 1-1/4"                                                        |
| 26   | 602-060-193 | Harrow Bar Extension - LH                                                 |
| 26A  | 602-060-480 | Harrow Bar Extension Kit - LH (Includes items 1, 2, 3, 16, 25 & 26)       |
| 27   | 602-060-194 | Harrow Bar Extension - RH                                                 |
| 27A  | 602-060-481 | Harrow Bar Extension Kit - RH (Includes items 1, 2, 3, 16, 25 & 27)       |
| 28   | 600-356-030 | Bolt 1/2" x 4-1/2" Gr. 5                                                  |
| 29   | 603-150-180 | Wear Bushing                                                              |
| 30   | 603-150-017 | Spring                                                                    |
| 31   | 603-150-018 | Spring Insert - Grey Cast with 5/8 threaded hole                          |
| 32   | 600-373-072 | Bolt 5/8" x 5" Full thread - Gr.5                                         |
| 33   | 600-381-020 | Flat Washer 5/8"                                                          |
| 34   | 600-365-014 | Nut 5/8"                                                                  |
| 35   | 603-150-187 | Short Hanger Arm - for Front Roller                                       |
| 36   | 603-150-191 | Mount Plate - Roller Frame                                                |
| 37   | 600-356-137 | Bolt 1/2" x 3-1/2" Gr. 5                                                  |
| 38   |             | See separate page for Roller Frame Assembly.                              |
| 39   |             | See separate page for Spiral Bar Rollers.                                 |



| Fig. | Part no.    | Description                                 |
|------|-------------|---------------------------------------------|
| 38   | 603-150-195 | 32" Roller Frame                            |
|      | 603-150-196 | 47" Roller Frame                            |
|      | 603-150-197 | 55" Roller Frame                            |
|      | 603-150-198 | 63" Roller Frame                            |
|      | 603-150-199 | 71" Roller Frame                            |
| 39   |             | For Spiral Bar Rollers see pages following. |
| 40   | 600-366-003 | Locknut 5/16"                               |
| 41   | 103-000-267 | G-Bearing Housing                           |
| 42   | 100-413-010 | G-Bearing Seal V-25A                        |
| 43   | 103-000-261 | G-Bearing Rubber Ring                       |
| 44   | 103-000-355 | G-Bearing Guide Ring & Wearing Ring         |
| 45   | 100-401-007 | G-Bearing SKF 6204                          |
| 46   | 103-000-263 | G-Bearing Guide Ring                        |
| 47   | 100-407-011 | Lock Ring LR 20U x 1.2                      |
| 48   | 103-000-397 | G-Bearing Cap                               |
| 49   | 600-421-000 | Grease Nipple 1/8"                          |
| CPL  | 103 000 454 | G-Bearing Complete                          |
| 50   | 103-000-627 | G-Bearing Arm - 10mm                        |
| 51   | 600-361-011 | Carriage Bolt 5/16" x 1"                    |





| Fig. | Part no.    | Description                                        |
|------|-------------|----------------------------------------------------|
| 1    | 603 150 153 | 32" L.H. Spiral Roller w/Bearing Arms and Bearings |
| 2    | 603 150 154 | 47" L.H. Spiral Roller w/Bearing Arms and Bearings |
| 3    | 603 150 155 | 55" L.H. Spiral Roller w/Bearing Arms and Bearings |
| 4    | 603 150 156 | 63" L.H. Spiral Roller w/Bearing Arms and Bearings |
| 5    | 603 150 157 | 71" L.H. Spiral Roller w/Bearing Arms and Bearings |
| 6    | 603 150 163 | 32" R.H. Spiral Roller w/Bearing Arms and Bearings |
| 7    | 603 150 164 | 47" R.H. Spiral Roller w/Bearing Arms and Bearings |
| 8    | 603 150 165 | 55" R.H. Spiral Roller w/Bearing Arms and Bearings |
| 9    | 603 150 166 | 63" R.H. Spiral Roller w/Bearing Arms and Bearings |
| 10   | 603 150 167 | 71" R.H. Spiral Roller w/Bearing Arms and Bearings |

