



STONEBEAR 4000/5200

Stonebear




Varaosakirja
Reservdelsbok
Spare partslist
Reservededelsliste
Ersatzteilliste
Onderdelenlijst
Liste de pièce de rechange
Lista dei pezzi di ricambio



Spare parts list / STONEBEAR. Date: 2008.8.




Fig.	Pack	Serial no.	Part no.	Pieces		Notes
				SB4000	SB5200	
1			500 068 811	1	1	shaft
2			500 031 464	4	4	M8*80 hex head
3			500 068 872	2	2	guard
4			500 163 517	8	8	M8 washer DIN 440
5			500 057 550	4	4	M8 lock nut
6			500 068 134	1	1	
7			500 021 157	2	2	6307 2RS
8			500 027 104	2	2	J80*2.5 DIN 472
9			500 068 132	1	1	
10			500 030 263	1	1	M6 lubrication nipple
11			500 037 153	1	1	
12			500 068 133	2	2	U-bolt
13			500 040 150	2	2	linch pin D9
14			500 068 136	1	1	
15			500 068 135	1	1	
16			500 010 462	2	2	M12 washer
17			500 056 448	2	2	M12 lock nut
18			500 068 141	1	1	M30*160 hex head
19			500 068 138	1	1	
20			500 068 142	1	1	M30 washer
21			500 089 121	1	1	M30 lock nut
22			500 068 129	1	1	
23			500 040 702	2	2	M10*20 hex head
24			500 010 607	2	2	M10 washer
25			500 057 379	2	2	M10 lock nut
26			500 068 122	1	1	
27			500 010 761	1	1	M8 lubrication nipple
28			500 087 593	2	2	GT454040
29			500 068 123	1	1	
30			500 068 143	1	1	spring pin d 10*70 DIN 1481
31			500 068 128	1	1	
32			500 068 125	1	1	
33			500 068 130	2	2	
34			500 085 809	4	4	A40*1.75
35			500 063 135	8	8	M16*25 hex head
36			500 030 887	4	4	M16 washer
37			500 068 126	2	2	
38			500 068 131	4	4	35/39/50*22 PDE-F
39			500 053 190	4	4	M16 lock nut
40			500 068 127	1	1	
41			500 068 124	1	1	
42			500 680 513	1	1	
43			500 068 513	1	1	sealing kit



Spare parts list / STONEBEAR. Date: 2012.9.



Fig.	Pack	Serial no.	Part no.	Pieces		Notes
				SB4000	SB5200	
1			500 068 120	1	1	frame
2			500 068 121	1	1	
3			500 030 958	22	22	M10*25 hex head
4			500 010 607	22	22	M10 washer
5			500 057 379	22	22	M10 lock nut
6			500 090 256	2	2	
7			500 040 929	2	2	pin D 6*118 DIN11024
8			500 068 871	1	1	
9			500 013 239	2	2	
10			500 087 115	3	3	
11			500 095 304	12	12	draw rivet 4.0*14
12			500 030 528	12	12	M5*16 DIN 965
13			500 063 964	12	12	M5 lock nut
15			500 068 873	1	1	
16			500 068 875	1	1	
17			500 030 949	6	6	M12*25 hex head
18			500 010 462	6	6	M12 washer
19			500 068 829	1	1	cover
20			500 010 784	4	4	M8 washer
21			500 053 363	3	3	M8*20 hex head
22			500 057 229	6	6	M12*30 lock screw
23			500 056 448	6	6	M12 lock nut
24			500 680 861	1	1	COMER T-312A
25			500 063 135	2	2	M16*25 hex head
26			500 030 887	2	2	M16 washer
27			500 068 872	1	1	cover
28			500 061 943	2	2	M12*80 hex head
29			500 068 865	1	1	
30			500 030 968	4	4	M12 nut
31			500 089 310	4	4	M16*40 hex head 12.9
32			500 040 151	4	4	M16 spring washer
33			500 068 862	2	2	
34			500 068 864	1	1	
35			500 059 102	4	4	
36			500 030 124	4	4	M16 nut



7






Fig.	Pack	Serial no.	Part no.	Pieces		Notes
				SB 4000	SB5200	
1			500 068 247	1		oikea, right, rechts, höger, droite
1			500 068 246	1		vasen, left, links, vänster, gauche
1			500 068 256		1	oikea, right, rechts, höger, droite
1			500 068 255		1	vasen, left, links, vänster, gauche
2			500 068 241	2		
2			500 068 260		2	
3			500 068 214	2		2211 RS
3			500 068 261		2	2212 RS
4			500 068 249	2	2	
5			500 068 250	2	2	
6			500 003 303	2	2	
7			500 068 245	1	1	oikea, right, rechts, höger, droite
7			500 068 244	1	1	vasen, left, links, vänster, gauche
7			500 068 259		1	oikea, right, rechts, höger, droite
7			500 068 258		1	vasen, left, links, vänster, gauche
8			500 068 210	2	2	key 18*11-40 DIN 6885A
9			500 068 212	2	2	
10			500 053 463	8	8	M20 lock nut
11			500 053 942	8	8	M20 washer
12			500 068 248	8	8	M20*50 hex head
13			500 068 203	1	1	oikea, right, rechts, höger, droite
13			500 068 217	1	1	vasen, left, links, vänster, gauche
14			500 068 211	2	2	UCFC 212
15			500 053 227	8	8	M16*50 hex head
16			500 030 263	2	2	lubrication nipple M6
17			500 068 869	2	2	SPB DM=190-5/3020
18			500 068 209	10	10	XPB1600
19			500 068 842	2	2	D60/3020
20			500 040 150	4	4	linch pin D9
21			500 068 221	2	2	
22			500 068 240	4	4	
23			500 030 528	8	8	M5*16 DIN 965
24			500 013 239	2	2	
25			500 063 964	8	8	M5 lock nut
26			500 030 887	2	2	M16 washer
27			500 068 874	2	2	D35/2012
28			500 068 868	2	2	SPB DM=125-5/2012
29			500 068 205	2	2	
30			300 323 107	2	2	key10*8-36 DIN 6885 A
31			500 086 140	4	4	J72
32			500 031 184	4	4	6207 RS
33			500 068 206	2	2	
34			500 030 124	6	6	M16 nut
35			500 068 202	2	2	
36			500 057 229	8	8	M12*30 lock screw
37			500 010 462	8	8	M12 washer
38			500 030 968	10	10	M12 nut
39			500 010 761	6	6	M8*1.25 lubrication nipple
40			500 030 969	4	4	M8 nut
41			500 035 169	8	8	M8 washer
42			500 068 828	2	2	
43			500 068 829	2	2	shaft guard
44			500 063 548	8	8	M8*16 lock screw DIN 603
45			500 068 810	1		oikea, right, rechts, höger, droite
45			500 068 841	1		vasen, left, links, vänster, gauche
45			500 068 841		1	oikea, right, rechts, höger, droite
45			500 068 883		1	vasen, left, links, vänster, gauche
55			500 068 201	2	2	
56			500 030 951	4	4	M10*16 hex head
57			500 010 607	4	4	M10 washer
58			500 066 552	2	2	M24*65 hex head
59			500 057 259	2	2	M24 nut
60			500 041 244	2	2	



11



Spare parts list / STONEBEAR. Date: 2008.8.



Fig.	Pack	Serial no.	Part no.	Pieces		Notes
				SB4000	SB5200	
1			500 068 720	1	1	
2			500 068 708	1	1	
3			500 068 709	1	1	
4			500 010 607	4	4	M10 washer
5			500 030 958	4	4	M10*25 hex head
6			500 068 713	2	2	
7			500 010 634	6	6	M12 spring washer
8			500 030 522	14	14	M12*35 hex head
9			500 068 707	1	1	rubber plate
10			500 035 554	6	6	D12.5*35*3 washer
11			500 057 233	6	6	M12*60 hex head
12			500 068 706	1	1	covering plate,plywood
13			500 010 462	14	14	M12 washer
14			500 056 448	14	14	M12 lock nut
15			500 068 728	1	1	bottom plate,rubber
16			500 057 543	12	12	M12*40 lock screw DIN603
17			500 068 729	2	2	
18			500 030 263	2	2	M6 lubrication nipple
19			500 050 123	4	4	D10*63 cotter pin
20			500 068 721	1	1	
21			500 068 722	2	2	45/50*40 PDE
22			500 068 401	5	5	Kongsilde nr. 101000831
23			500 068 403	5	5	





Fig.	Pack	Serial no.	Part no.	Pieces		Notes
				SB4000	SB5200	
1			500 068 714	1	1	vasen left,links,vänster,gauche
1			500 068 703	1	1	oikea,right,rechts,höger,droite
2			500 090 251	2	2	
3			500 030 930	6	6	M30 washer DIN 125
4			500 057 241	4	4	cotter pin D6.3*45
5			500 090 251	2	2	
6			500 068 704	2	2	
7			500 056 448	4	4	M12 lock nut
8			500 010 462	4	4	M12 washer
9			500 030 522	4	4	M12*35 hex head
10			500 090 169	1	1	
11			500 030 853	6	6	M5*16 hex head
12			500 068 710	1	1	
13			500 063 876	6	6	M5 washer
14			500 010 395	6	6	M5 nut
15			500 030 649	2	2	M6*45 hex head
16			500 068 711	1	1	
17			500 053 503	2	2	M6 washer
18			500 030 262	2	2	M6 nut
19			500 089 212	1	1	
20			500 087 253	2	2	
21			500 090 201	4	4	D46*80*6 washer
22			500 068 724	1	1	vasen left,links,vänster,gauche
22			500 068 725	1	1	oikea,right,rechts,höger,droite
23			500 041 312	1	1	
24			500 041 367	1	1	
25			500 068 144	1	1	
26			500 008 091	1	1	
27			500 068 726	1	1	vasen left,links,vänster,gauche
27			500 068 727	1	1	oikea,right,rechts,höger,droite
28			500 030 522	4	4	M12*35 hex head
29			500 053 263	2	2	



Spare parts list / STONEBEAR. Date: 2012.8.



Fig.	Pack	Serial no.	Part no.	Pieces		Notes
				SB4000	SB5200	
1			500 058 656	3	3	
2			500 030 844	3	3	rapid connector 1/2"
3			500 041 836	3	3	R1/2-3/8"
4			500 052 361	5	5	usit 1/2"
5			500 090 812	2	2	1/2-1/4"
6			500 087 830	2	2	usit 1/4"
7			500 090 820	2	2	1/4-1/4"
9			500 058 686	2	2	1/4"-2800
10			500 068 516	1	1	3/8"-3000
11			500 087 819	1	1	1/4" ball valve
12			500 158 828	1	1	EL 12
13			500 058 668	5	5	double fastener D15
14			500 089 559	10	10	M8*35 hexhead
15			500 068 514	1	1	
16			500 031 594	5	5	double fastener D12
19			500 680 513	1		
20			500 680 515	1	1	sealing kit
21			500 068 502	1	1	
22			500 031 592	1	1	
23			500 068 501	1	1	
24			500 068 853	2	2	3/8"-460
25			500 061 801	2	2	usit 3/8"
26			500 257 617	2	2	3/8" ball valve
27			500 095 832	2	2	3/8-3/8"
28			500 030 985	2	2	M8*25 hex head
29			500 057 623	2	2	
30			500 680 505	2	2	hydraulic cylinder assembly
31			500 068 139	2	2	
32			500 068 723	2	2	
33			500 680 506	2	2	sealing kit
34			500 010 153	2	2	M10 spring washer
35			500 040 702	2	2	M10*20 hex head
36			500 057 241	2	2	cotter pin D6.3*45
37			500 086 809	2	2	safety valve






Fig.	Pack	Serial no.	Part no.	Pieces		Notes
				SB4000	SB5200	
1			500 068 409	1		
1			500 068 410		1	
2			500 263 162	2	2	SY 50 TF
3			500 053 942	4	4	M20 washer
4			500 053 463	4	4	M20 lock nut
5			500 068 867	1	1	SPC500-3/3535
6			500 068 806	1	1	D50 3535/50
7			500 068 265	1	1	key 14*9-48 DIN 6885 B
8			500 068 866	1	1	SPC180-3
9			500 013 557	1	1	M8*20 DIN 916
10			500 068 885	1	1	key 12*8-45
11			500 068 817	2	3	SPC3150
12			500 068 876	1	1	
13			500 030 968	1	1	M12 nut
14			500 010 634	1	1	M12 spring washer
15			500 068 818	1	1	
16			500 010 607	1	1	M10 washer
17			500 020 561	1	1	M10*40 hex head
18			500 030 952	1	1	M12*30 hex head
19			500 010 462	59	59	M12 washer
20			500 040 702	2	2	M10*20 hex head
21			500 010 153	2	2	M10 spring washer
22			500 189 501	1	1	
23			500 056 625	1	1	25.5*35*2 washer
24			500 068 834	1	1	
25			500 055 175	2	2	6205-2RS
26			500 068 833	1	1	
27			500 025 110	1	1	26*36*4 washer
28			500 035 554	1	1	M12 washer DIN 9021
29			500 035 244	1	1	M12*100, 10.9 DIN931
30			101 000 831	18	24	
31			500 056 448	76	94	M12 lock nut
32			500 068 403	18	24	
33			500 068 407	18	24	M12*70 10.9 hex head
34			500 068 402	18	24	
35			500 068 405	36	48	
36			500 030 522	4	4	M12*35 hex head
37			500 068 404	18	24	
38			500 068 621	1	1	28mm option
38			500 068 615	1	1	35mm option
38			500 068 616	1	1	40mm option
38			500 068 617	1	1	50mm option
38			500 068 618	1	1	70mm option



21



23



Oy Kongskilde Juko Ltd
Opintie 4
23100 Mynämäki, Finland
Tel. +358 2 439 3200
Fax +358 2 439 3210
e-mail: [mail@ksf.kongskilde .com](mailto:mail@ksf.kongskilde.com)

5571002033
30.07.2014