


Rotavator 600B / 600S / 600D





Reservedelsliste
Spare parts list
Ersatzteilliste
Onderdelenlijst
Liste de pièce de rechange
Lista de piezas
Parti di ricambio

ROTAVATOR / ROTALABOUR 600



[illegible]


ROTAVATOR / ROTALABOUR 600



[illegible]


ROTAVATOR / ROTALABOUR 600

PTO shaft Front mounted



[illegible]

ROTAVATOR / ROTALABOUR 600 B



REAR PTO KIT
KIT ADAPTATION PTO ARRIERE
DURCHTRIEB VOLLST
ASSIEME PREZA DI FORZA POSTERIORE

653 456




Fig.	Serial n°	Part n°	Pieces	Notes
1		71000653360R	1	
2		71000650036	1	0,10
2		71000650037	1	0,25
2		71000650038	1	0,50
3		71208010860	1	Pin
4		71307624145	1	Self locking nut M24 x 1,5
5		71000652847	1	
6		71000652848	1	
7		71267555102	1	Seal 75 x 55 x 10mm
8		71254585251	1	Bearing #32209
9		71000756504	1	
10		74966879000	4	Plug 3/4"
11		71000756905R	1	
12		73254510256	1	Bearing #30309
13		71254510381	1	Bearing #32309
14		71000653403	1	22Z Standard
14		71000756488	1	25Z Optional
15		71000653402	1	19Z Standard
15		71000756485	1	16Z Optional
16		71000756296	1	20Z Standard
16		71000756295	1	18Z Optional
16		71000756484	1	15Z Optional
17		71000756297	1	21Z Standard
17		71000756298	1	23Z Optional
17		71000756489	1	27Z Optional
18		71000756550R	1	
19		74301214350	6	Bolt M14 x 35mm
20		74301214300	2	Bolt M14 x 30mm
21		71308140040	4	Spring washer M14
22		71000756807R	1	
23		71000756206	1	0,10mm
23		71000756839	1	0,25mm
23		71000756840	1	0,50mm
24		73256711301	1	Bearing #3984 - 3920
25		71000653486	1	
26		71000653696	1	
27		71203031180	1	Plug 3/8"
28		71208101520	1	Seeger I-100
29		71000756250	1	
30		74301210250	4	Bolt M10 x 35mm
31		71208089455	1	Pin
32		71000653454R	1	
33		74966882400	1	
34		74966882600	1	
35		74966882500	1	
36		71000651875	1	
37		71253572171	1	Bearing #6207
38		71208101410	1	Seeger I-72
39		71208102280	1	Seeger E-35
40		71267235123	1	Seal 72 x 35 x 12mm
41		71308110015	4	Flat washer M10
42		71308100045	4	Spring washer M10
43		71301410255	4	Setscrew M10 x 25mm
44		74966829200	1	
45		74966829400	1	B-S
45		74966829401	1	D
46		71000653351	1	Rotavator Gearbox
46		71000653457	1	Rotalabour Gearbox
47		71000653456	1	
48		74202029600	1	Metal Rubber washer

ROTAVATOR / ROTALABOUR 600 S





Fig.	Serial n°	Part n°	Pieces	Notes
1		71308140045	4	Spring Washer M14
2		71301414350	4	Setscrew M14 x 35 mm.
3		71267555102	1	Seal 75 x 55 x 10 mm.
4		71000652848	1	
5		71208010860	1	Pin 5 x 50 mm.
6		71307624145	1	Slotted Nut M24
7		71000652847	1	
8		71254585251	1	Bearing # 32209
9		71000653002R	1	
10		73301414305	2	Setscrew M14 x 30 mm.
10		71301414350	2	Setscrew M14 x 35 mm.
11		71308140045	1	Spring Washer M14
12		71000756206	1	0,1 mm.
12		71000756839	1	0,25 mm.
12		71000756840	1	0,5 mm.
13		73256011282	1	Bearing #32212
14		71000652022	1	Z 13
15		71203031190	2	Plug 1/2"
15		71203031060	1	Plug 3/4"
16		71000109806R	1	
17		71000652021	1	
18		71000109807	1	
19		73254510256	2	Bearing #30309
20		71208101520	1	Circlip I-100
21		71000109810	1	
22		71000109811R	1	
23		71317410305	5	Wing Screw M10 x 30 mm.
24		71209019230	5	Washer contact
25		71208089940	1	Tension pin 10 x 40 mm.
26		71208012650	1	Tension pin 6 x 35 mm.
27		71000109808	1	
28		71000652025	1	
29		71000109809	1	
30		74966879000	1	Plug 3/4"
31		71209019370	12	Washer contact
32		71301408165	12	Setscrew M8 x 16mm.
33		71000650036	1	0,1 mm.
33		71000650037	1	0,25 mm.
33		71000650038	1	0,5 mm.
34		71000653360R	1	
35		71000109890	1	Z = 20
35		71000652018	1	Z = 21
35		71000109892	1	Z = 22
35		71000652486	1	Z = 23 standard
35		71000109894	1	Z = 24 standard
36		71000109891	1	Z = 30
36		71000652019	1	Z = 29
36		71000109893	1	Z = 28
36		71000652487	1	Z = 27 standard
36		71000109895	1	Z = 26 standard
37		74202029600		Metal Rubber washer
38		74966924500		

ROTAVATOR / ROTALABOUR 600 S



[illegible]

ROTAVATOR / ROTALABOUR 600 D





Fig.	Serial n°	Part n°	Pieces	Notes
1		71208001860	1	cotter pin 4 x 40 mm Slotted Nut M24 x 1,5mm.
2		71307624145	1	
3		71000652847	1	
4		71000652848	1	
5		71267555102	1	
6		71254585251	1	Bearing #32209 0,1 mm. 0,2 mm. 0,5 mm.
7		71000651018R	1	
8		71000704161	1	
8		71000704162	1	
8		71000704163	1	
9		71254080251	1	Bearing #32208
10		71000652020	1	
11		71000652037	1	
12		71000652635	1	
13		71000652001R	1	
14		71203031580	1	Plug 3/8"
15		71000652003	1	
16		71000652004	1	
17		71000652005	1	
18		71000652021	1	
19		71208089720	1	Pin 8 x 15mm. Z 13 Bearing #32212
20		71000652022	1	
21		71000652006	1	
22		73256011282	1	
23		71000652007	1	
24		71208002710	2	Circlip E-45mm. Belleville 28,5 x 56 x 3 mm. Z 23
25		71203026040	1	
26		71000652038	1	
27		71000652023	1	
28		71000652486	1	
28		71000652487	1	Z 27 Z 21 Z 29 Bearing # 30309
28		71000652018	1	
28		71000652019	1	
29		73254510256	2	
30		71000652009	1	
31		71000652017	1	
32		71000652016	1	
33		71000652015	1	
34		71000652016	1	
35		71000652014	1	
36		71000652472	1	Bearing # 30309
37		71000652009	1	
38		71000330046	1	
39		71000652025	1	
40		73254510256	1	
41		71000650038	1	0,1 mm. 0,25 mm. 0,5 mm. 0,1 mm.
41		71000650037	1	
41		71000650036	1	
42		71000653360R	1	
43		71000652011	1	
43		71000652012	1	0,25 mm. 0,5 mm.
43		71000652013	1	
44		71000652010R	1	
45		71000652034	1	
46		71000652033	1	
47		73250008001	2	Ball 9 mm. Socket head setscrew M10 x 20 mm. Lock nut M10
48		71000652159	2	
49		71000652035	1	
50		71314410200	2	
50		71307210025	2	
51		71000652036	1	O ring 20,5 x 2,7 mm
52		73202025290	1	
53		749202029630		
54		74966924900		

ROTAVATOR / ROTALABOUR 600 D



[illegible]

ROTAVATOR / ROTALABOUR 600





Fig.	Serial n°	Part n°	Pieces	Notes
1		71307140140	1	Hex. Slotted nut M40 x 1,5 mm.
2		74208016120	1	Elastic pin 6x60 mm.
3		71000652215	1	
4		71000110279	1	Z = 16
5		71255512316	1	Bearing # 30311
6		71000109798	1	180 offset
6		71000109790	1	180
6		71000109799	1	205
6		71000109800	1	230
6		71000109801	1	255
6		71000189303	1	280
6		71000109802	1	305
6		71000109803	1	355
6		71000109804	1	405
7		71000653387	1	
8		73308120045	9	Spring washer M12
9		74301212250	9	Bolt M12 x 25 mm.
10		71000653364R	1	180 offset*
10		71000109379R	1	180*
10		71000653365R	1	205*
10		71000653366R	1	230*
10		71000653367R	1	255*
10		71000189300R	1	280*
10		71000653263R	1	305*
10		71000109155R	1	355*
10		71000653368R	1	405*
10		74966913418R	1	180
10		74966913420R	1	205
10		74966913423R	1	230
10		74966913425R	1	255
10		74966913428R	1	280
10		74966913430R	1	305
10		74966913435R	1	355
10		74966913440R	1	405
11		74301212300	9	Bolt M12 x 30 mm.
12		73308120045	9	Spring washer M12
13		71203032010	1	Breather
14		71000110123	1	0,25 mm.
14		71000762071	1	0,5 mm.
15		71000762142	1	
16		71269575121	1	Seal 95 x 75 x 12 mm.
17		73257513311	1	Bearing # 32215
18		71000652044	1	Z = 30 S / D
18		71000653326	1	Z = 31 B
19		71307140140	1	Hex. slotted nut M40 x 1,5 mm.
20		74208016120	1	Elastic pin 6 x 60 mm.
21		71307214015	2	Nut M14
22		71308140045	2	Spring washer M14
23		71000653319	1	1 mm.
24		71000653318	1	2 mm.
25		71301214500	2	Bolt M14 x 50 mm.
26		71203031170	1	Plug 1/4"
27		71301410250	6	Setscrew M10 x 25 mm.
28		71308100045	6	Spring washer M10
29		71000109658R	1	
30		71202074830	1	O Ring 124 x 3 mm.
31		71301412350	4	Setscrew M12 x 35 mm.
32		71000109654R	1	
33		71308120045	4	Spring washer M12
34		74307212015	4	Nut M12
35		71208101590	1	Circlip I - 120
36		71208109150	1	Self locking nut M55 x 2 mm.
37		71255512291	1	Bearing # 6311
38		71202078070	1	Face seal
39		71000109653	1	
40		71288109665	1	
41		71000109668	1	
42		71202078071	1	Face seal
43		71256514335	1	Bearing # 21313
44		71208001570	1	Circlip I - 140
45		71000109664	1	Z = 27
46		73203026100	1	Belleville 100 x 51 x 3,5 mm.
47		71000650018	1	Special nut
48		71000653325	1	
49		73202070950	1	O Ring 60,04 x 1,78 mm.

* Ø tube 88,9 mm. until April 2005

ROTAVATOR / ROTALABOUR 600



[illegible]

ROTAVATOR / ROTALABOUR 600




Fig.	Serial n°	Part n°	Pieces	Notes
1		71301408165	3	Setscrew M8 x 16 mm.
2		71209019370	22	Washer contact M8
3		71000653336R	1	
4		71203031200	1	Plug 3/4"
5		71000653489	1	
6		71918927700R	1	
7		71203031050	2	Plug 1/8"
8		71301208250	19	Setscrew M8 x 30 mm.
9		71301212300	8	Bolt M12 x 30 mm.
10		71918926400R	2	205 - 255
10		71918926401R	2	280 - 355
10		71918926402R	2	405
11		73308120045	8	Spring washer M12
12		74307212015	8	Nut M12
13		71000653321	1	
14		74966887500	3	
15		71918925900R	1	
16		71307212125	1	Self locking nut M12
17		71000109784	1	
17		71000109785	1	D
18		74000640577	1	Special washer
19		71301212455	1	Bolt M12 x 45 mm.
20		71301216555	10	Bolt M16 x 55 mm.
21		71209019340	10	Washer contact
22		71307216125	10	Selflocking nut M16
23		71000653320	2	
24		71918925200R	1	180 offset
24		71918925201R	1	180
24		71918925100R	1	205 B
24		71918925202R	1	205 S
24		71918925101R	1	230 B
24		71918925203R	1	230 S
24		71918925102R	1	255 B
24		71918925204R	1	255 S
24		71918925103R	1	280 B
24		71918925205R	1	280 S
24		71918925104R	1	305 B
24		71918925206R	1	305 S
24		71918925207R	1	355 S
24		71918925208R	1	405 S
25		71208044090	2	Plug
26		71208092130	2	Pin
27		71208089030	2	Elastic pin
28		71000109959	2	
29		71000109290	2	
30		7191892780R	1	
31		74307212015	4	Nut M12
32		71308120040	4	Spring washer M12
33		71301212355	4	Bolt M12 x 35 mm.
34		74307212015	#	Nut M12
35		73308120045	#	Spring washer M12
36		71301212355	#	Bolt M12 x 35 mm.
37		71307214010	12	Nut M14
38		71308140040	12	Spring washer M14
39		74301214350	12	Bolt M14 x 35 mm.
40		71307208125	19	Selflocking nut M8
41		74966855718R	1	180
41		74966855720R	2	205
41		74966855723R	2	230
41		74966855725R	2	255
41		74966855728R	2	280
41		74966855731R	2	305
41		74966855735R	2	355
41		74966855740R	2	405
42		71000653323	2	
43		71000653322	2	
44		71308080045	4	Spring washer M8
45		71301208255	4	Bolt M8 x 25 mm.
46		71307216125	1	Selflocking nut M116
47		7430816300	2	Flat washer dia. 17 mm.
48		71000653632	1	
49		71000653629	1	
50		71000653633		
51		74307212015		Nut M12
52		71307212125	1	Selflocking nut

ROTAVATOR / ROTALABOUR 600




Fig.	Serial n°	Part n°	Pieces	Notes
53		71000650125	1	
54		71000651868	1	
55		74301212305	2	Bolt M12 x 30 mm.
56		71301212755	1	Bolt M12 x 75 mm.
57		71208012520	1	Spring pin 6 x 30 mm.
58		73308120045	2	Spring washer M12
59		71000653635	1	
60		71000107277	1	
61		71301212455	1	Bolt M12 x 45 mm.
62		71000651655	1	
63		74307212015	2	Selflocking nut M12
64		74000649654	1	Nylocknut M12
65		71000653636	#	Complet kit
66		71307214015	2	Nut M14
67		71308140045	2	Spring washer M14
68		71000653319	1	1 mm.
69		71000653318	1	2 mm.
70		71301214500	2	Bolt M14x50 mm.
71		71918928418R	1	180 B*
71		71918928400R	1	205 B*
71		71918928401R	1	230 B*
71		71918928402R	1	255 B*
71		71918928403R	1	280 B*
71		71918928404R	1	305 B*
71		71918929818R	1	180 S/D*
71		71918929820R	1	205 S/D*
71		71918929823R	1	230 S/D*
71		71918929825R	1	255 S/D*
71		71918929828R	1	280 S/D*
71		71918929830R	1	305 S/D*
71		71918929835R	1	355 S/D*
71		71918929840R	1	405 S/D*
71		74966913518R	1	180 B
71		74966913520R	1	205 B
71		74966913523R	1	230 B
71		74966913525R	1	255 B
71		74966913528R	1	280 B
71		74966913530R	1	305 B
71		74966913618R	1	180 S/D
71		74966913620R	1	205 S/D
71		74966913623R	1	230 S/D
71		74966913625R	1	255 S/D
71		74966913628R	1	280 S/D
71		74966913630R	1	305 S/D
71		74966913635R	1	355 S/D
71		74966913640R	1	405 S/D
72		71000109777	1	
73		71301416455	4	Setscrew M16 x 45 mm.
74		71308160045	4	Spring washer M16
75		71307216015	4	Nut M16
76		71301412305	9	Setscrew M12 x 30 mm.
77		73308120045	9	Spring washer M12

* Ø tube 88,9 mm. until April 2005

ROTAVATOR / ROTALABOUR 600






Fig.	Serial n°	Part n°	Pieces	Notes
1		71918929300R	1	180
1		71918929302R	2	205
1		71918929303R	2	230
1		71918929304R	2	255
1		71918929305R	2	280
1		71918929306R	2	305
1		71918929307R	2	355
1		71918929308R	2	405
2		71301210705	1	Bolt M10 x 70 mm.
3		71301210355	1	Bolt M10 x 35 mm.
4		71000109376R	#	
5		71301212755	#	Bolt M12 x 75 mm.
6		71301212405	#	Bolt M12 x 40 mm.
7		71000652812R	#	
8		73307212050	#	Nyloc nut M12
9		71000335118 V	#	
10		73307210050	#	Nyloc nut M10
11		73307212050	#	Nyloc nut M12
12		71301212705	#	Bolt M12 x 70 mm.
13		71918929500R	1	180
13		71918929502R	2	205
13		71918929503R	1	230
13		71918929504R	1	230
13		71918929505R	1	255
13		71918929506R	1	255
13		71918929507R	1	280
13		71918929508R	1	280
13		71918929509R	1	305
13		71918929510R	2	355
13		71918929511R	2	405
14		71918929718R	1	180
14		71918929720R	2	205
14		71918929723R	2	230
14		71918929700R	2	255
14		71918929701R	2	280
14		71918929702R	2	305
14		71918929703R	2	355
14		71918929704R	2	405
15		74301212300	#	Bolt M12 x 30 mm.
16		73308120045	#	Spring washer M12
17		74307212015	#	Nut M12
18		74303212305	#	Bolt M12 x 30 mm.
19		71108081440	#	Spring washer M12
20		73307212050	#	Selflocking nut M12

ROTAVATOR / ROTALABOUR 600



[illegible]

ROTAVATOR / ROTALABOUR 600



[illegible]

ROTAVATOR / ROTALABOUR 600

Tnm	S Rotor		F Rotor		180	205	230	255	280	305	355	405
	10	10	8	8	x 21	x 24	x 27	x 30	x 33	x 36	x 42	x 48
▼	9862	9950	762719	109343	x 21	x 24	x 27	x 30	x 33	x 36	x 42	x 48
▲	9863	9951	762720	109344	x 21	x 24	x 27	x 30	x 33	x 36	x 42	x 48





Fig.	Serial n°	Part n°	Pieces	Notes
1		71000762130	#	Bolt blade F
1		71208056999	#	Bolt blade S
2		71308160045	#	Spring washer M16
3		71208056470	#	Nut M16 grade 12
4		71000762013	#	Special bolt
5		71301116355	8	Bolt fine M16 x 35 mm.
6		71308160045	8	Spring washer M16
7		71000653378R	1	Rotor S 180
7		71000653376R	1	Rotor S 205
7		71000653374R	1	Rotor S 230
7		71000653369R	1	Rotor S 255
7		71000110431R	1	Rotor S 280
7		71000653250R	1	Rotor S 305
7		71000109646R	1	Rotor S 355
7		71000653652R	1	Rotor F 180
7		71000653653R	1	Rotor F 205
7		71000653655R	1	Rotor F 230
7		71000653656R	1	Rotor F 255
7		71000110432R	1	Rotor F 280
7		71000653657R	1	Rotor F 305
7		74966902500R	1	F 355
7		71000109600R	1	F 405
7		74966914818R	1	S 180*
7		74966914820R	1	S 205*
7		74966914823R	1	S 230*
7		74966914825R	1	S 255*
7		74966914828R	1	S 280*
7		74966914830R	1	S 305*
7		74966914935R	1	S 355 Double tube*
7		74966915018R	1	F 180*
7		74966915020R	1	F 205*
7		74966915023R	1	F 230*
7		74966915025R	1	F 255*
7		74966915028R	1	F 280*
7		74966915030R	1	F 305*
7		74966915135R	1	F 355 Double tube*
7		74966915140R	1	F 405 Double tube*
7		74966914940R	1	S 405 Double tube*
7		74966914930R	1	S 305 Opt. double tube*
7		74966915130R	1	F 305 Opt. double tube*
8		71308160045	1	Spring washer M16
9		71208056470	1	Nut M16 grade 12
10		71000652232	1	
11		71000652231	#	
12		71000109582R	#	Rotor S A = 103 mm.
12		71000109853R	1	Rotor F
13		71208056390	8	Bolt M16 x 40 mm.
14		71308160045	17	Spring washer M16


* Open Rotor from March 2005

ROTAVATOR / ROTALABOUR 600




[illegible]

ROTAVATOR / ROTALABOUR 600 S




[illegible]

ROTAVATOR / ROTALABOUR 600 S




[illegible]

ROTAVATOR / ROTALABOUR 600 D



[illegible]

ROTAVATOR / ROTALABOUR 600 D



[illegible]

ROTAVATOR / ROTALABOUR 600




Fig.	Serial n°	Part n°	Pieces	Notes
1		71000653539R	1	Selflocking nut M16
2		71000653531	1	
3		73307216050	2	
4		71000653534	1	
5		71000653538	1	
6		71308160075	1	Flat washer M16
7		71301216555	1	Bolt M16 x 55 mm.
8		71000109297R	1	Belleville 40 x 20,5 x 2,5 mm. Flat washer M12
9		71203026290	1	
10		73308120075	1	
11		71301412205	1	Setscrew M12 x 20 mm.
12		71000653548R	1	Ø 28 mm. Ø 19 mm.
13		71000653536V	1	
14		71000653320	1	
14		71000186295	1	
15		71203026290	1	Belleville 40 x 20,5 x 2,5 mm.
16		71000109296R	1	Flat washer M12 Setscrew M12 x 20 mm.
17		73308120075	1	
18		71301412205	1	
19		71000653534	1	
20		73307216050	2	Nut M16
21		71000653531	1	Flat washer M16 Bolt M16 x 55 mm.
22		71000653538	2	
23		71308160075	2	
24		71301216555	2	
25		71000653547R	1	Flat washer M12 Setscrew M12 x 20 mm. Bolt M16 x 55 mm. Flat washer M16
26		73308120075	1	
27		71301412205	1	
28		71301216555	1	
29		71308160075	1	
30		71000653538	1	Flat washer M12 Setscrew M12 x 20 mm. Compleat kit
31		73308120075	1	
32		71301412205	1	
33		71000653537	1	

ROTAVATOR / ROTALABOUR 600




Fig.	Serial n°	Part n°	Pieces	Notes
1		71301224400	4	Bolt M 24 x 40 mm.
2		71308240020	4	Flat washer M24
3		74966832700V	2	
3		74966832701V	2	
4		74966871200	4	
5		74966904400V	2	
6		71308100135	#	Flat washer M10
7		74301210300	#	Bolt M 10 x 30 mm.
8		74966861201	#	
9		74966861000V	#	
10		73307210050	#	Self locking nut M10
11		74966904518V	1	180
11		74966904520V	1	205
11		74966904523V	1	230
11		74966904525V	1	255
11		74966904528V	1	280
11		74966904529V	1	305
11		74966904530V	1	355
11		74966904531V	1	405
12		73307216050	8	Self locking nut M16
13		71308160010	8	Flat washer M16
14		71254513401	2	Bearing UCF 209
15		74966904600	2	
16		71301216600	8	Bolt M 16 x 60 mm.
17		74966904718V	1	180
17		74966904720V	1	205
17		74966904723V	1	230
17		74966904725V	1	255
17		74966904728V	1	280
17		74966904729V	1	305
17		74966904730V	1	355
17		74966904731V	1	405
18		73307216050	6	Self locking nut M16
19		71308160010	6	Flat washer M16
20		73307216050	2	Nut M16
21		73307216050	2	Nut M16
22		71308160010	2	Flat washer M16
23		71301216800	2	Bolt M16 x 80 mm.
24		71307224050	4	Self locking nut M24
25		74301216500	6	Bolt M16 x 50 mm.
26		74966878118	1	180
26		74966878120	1	205
26		74966878123	1	230
26		74000667625	1	255
26		74966878125	1	280
26		74000667629	1	305
26		74000667630	1	355
26		74000667631	1	405

ROTAVATOR / ROTALABOUR 600




Fig.	Serial n°	Part n°	Pieces	Notes
1		71301224800	4	Bolt M 24 x 80 mm. Flat washer M24 2 mm
2		71308240020	4	
3		74966832700V	2	
3		74966832701V	2	
4		74966871202	#	
4		74966871206	#	6 mm
4		74966871212	#	12 mm
5		74254517700	2	Bearing UCFL 309 SLB
6		74966922218V	1	180
6		74966922220V	1	205
6		74966922223V	1	230
6		74966922225V	1	255
6		74966922228V	1	280
6		74966922230V	1	305
6		74966922235V	1	355
6		74966922240V	1	405
7		74966870818V	1	180
7		74966870819V	1	190
7		74966870820V	1	205
7		74966870821V	1	215
7		74966870823V	1	230
7		74966870825V	1	250
7		74966870828V	1	280
7		74966870830V	1	305
7		74966870835 V	1	355
7		74966870840V	1	405
8		74966871818V	1	180
8		74966871819V	1	190
8		74966871820V	1	205
8		74966871821V	1	215
8		74966871823V	1	230
8		74966871825V	1	250
8		74966871828V	1	280
8		74966871830V	1	305
8		74966871835V	1	355
8		74966871840V	1	405
9		74966867500V	1	
10		71308140040	8	Grower M14
11		74301214400	8	Bolt M 14 x 40 mm.
12		71307224050	4	Self locking nut M24
13		74966870918V	1	180
13		74966870920V	1	205
13		74966870923V	1	230
13		74966870925V	1	255
13		74966870928V	1	280
13		74966870930V	1	305
13		74966870935V	1	355
13		74966870940V	1	405
14		74966922118V	1	180
14		74966922120V	1	205
14		74966922123V	1	230
14		74966922125V	1	255
14		74966922128V	1	280
14		74966922130V	1	305
14		74966922135V	1	355
14		74966922140V	1	405

ROTAVATOR / ROTALABOUR 600






Fig.	Serial n°	Part n°	Pieces	Notes
1		71301410305	4	Setscrew M10 x 30 mm
2		71000653327V	1	
3		713071210125	1	Self locking nut M10
4		71301408305	1	Setscrew M8 x 30 mm
5		71308080015	1	Flat washer M8
6		71307208125	1	Self locking nut M8
7		73307212050	2	Nut M12
8		73308120045	2	Flat washer M12
9		71000109660V	1	
10		71301412405	2	Setscrew M12 x 40 mm
11		71000651666V	1	
12		71301210505	2	Bolt M10 x 50 mm
13		71307210015	2	Nut M10
14		74966860900V	1	
15		71263562069	2	Seal SKF type Z007
16		71253062161	1	Bearing #6206
17		74209086460V	1	Wheel steel 500 x 120 mm
18		71203025261	1	Spacer
19		71252562171	1	Bearing #6305
20		71308160025	1	Flat washer M16
21		73307216050	1	Nut M16
22		71202045260	1	Cap D62 mm (threaded)
22		71202045265	1	Cap Ø 62 mm (pressed)
23		74966860901V	1	Arm kit
24		71301214405	4	Bolt M14 x 40 mm
25		71209086130	1	Neumatic wheel
26		71202045240	1	
27		71252538071	1	
28		71252542011	1	
29		71252552156	1	Bearing
30		71209064250	1	
31		73253572181	1	Bearing
32		71253571030	1	
33		71202045250	1	
34		71308140045	4	Flat washer M14
35		71307214015	4	Nut M14
36		71209086340	1	Wheel kit

ROTAVATOR / ROTALABOUR 600



[illegible]


ROTAVATOR / ROTALABOUR 600



[illegible]

ROTAVATOR / ROTALABOUR 600

FRONT HITCH R600S-S R600S-D



[illegible]

PN: 74966836100

April 2017